



This Journal of Environmental Horticulture article is reproduced with the consent of the Horticultural Research Institute (HRI – [www.hriresearch.org](http://www.hriresearch.org)), which was established in 1962 as the research and development affiliate of the American Nursery & Landscape Association (ANLA – <http://www.anla.org>).

#### HRI's Mission:

To direct, fund, promote and communicate horticultural research, which increases the quality and value of ornamental plants, improves the productivity and profitability of the nursery and landscape industry, and protects and enhances the environment.

The use of any trade name in this article does not imply an endorsement of the equipment, product or process named, nor any criticism of any similar products that are not mentioned.

# 1989 Volume 7, Numbers 1-4

## Subject Index

- Abies** . . . see **Fir**
- Acer** . . . see **Maple**
- Ailanthus** . . . see **Tree-of-Heaven**
- Antitranspirants**  
cherry/effect on growth and water relations . . . . . 7:41
- Aphelandra** . . . see **Zebra plant**
- Apple**  
growth retardants on seed yield . . . . . 7:75
- Auxin**  
osmanthus/propagation . . . . . 7:133  
spruce/root regeneration . . . . . 7:151
- Azalea**  
response to growth regulators . . . . . 7:56  
seed germination/effect of light . . . . . 7:109  
water requirements . . . . . 7:136  
weed control with basagran . . . . . 7:91  
weed control with goal . . . . . 7:26
- Barberry**  
production from pre-finished plants . . . . . 7:65
- Bareroot Production**  
spruce/transplanting during the spring growth flush . . . . . 7:15
- Bellflower**  
weed control . . . . . 7:14
- Berberis** . . . see **Barberry**
- Bermudagrass**  
growth regulation . . . . . 7:1
- Black Willow**  
prevention of root circling . . . . . 7:59
- Blackfoot Daisy**  
N fertilizer requirement . . . . . 7:83
- Bleeding Heart**  
weed control . . . . . 7:14
- Boxwood**  
hydrophylic polymers/effect on growth . . . . . 7:52  
prevention of circling roots . . . . . 7:59  
weed control . . . . . 7:26, 69
- Campanula** . . . see **Bellflower**
- Carpet Bugle**  
weed control . . . . . 7:14
- Cheery**  
transplanting practices on growth . . . . . 7:41
- Container Production**  
euonymous/weed control . . . . . 7:17  
fraser fir/growth medium pH . . . . . 7:62
- Cotoneaster**  
production from pre-finished plants . . . . . 7:65
- Croton**  
response to slow-release fertilization . . . . . 7:21
- Cuttings**  
oak/propagation . . . . . 7:115  
osmanthus/propagation . . . . . 7:133
- Cynodon** . . . see **Bermudagrass**
- Daylily**  
weed control . . . . . 7:29
- Dicentra** . . . see **Bleeding Heart**
- Dieffenbachia** . . . see **Dumbcane**
- Disease Control**  
phytophthora root rot in **Rhododendron** . . . . . 7:73  
xanthomonas leaf spot in **Pilea** . . . . . 7:47
- Dumbcane**  
fertilization with osmocote . . . . . 7:102
- Elaeagnus**  
weed control . . . . . 7:140
- Euonymus**  
weed control . . . . . 7:17
- Evapotranspiration**  
determining rates of . . . . . 7:118  
rates in container-grown plants . . . . . 7:136
- False Spirea**  
preemergent weed control . . . . . 7:14
- Fertilization**  
bermudagrass/N levels on growth . . . . . 7:1  
blackfoot daisy/N requirement . . . . . 7:83  
croton/response to slow release . . . . . 7:21  
foliage plants/osmocote rates . . . . . 7:102  
juniper/N regimes . . . . . 7:32  
pilea/rates on severity of **xanthomonas** leaf spot . . . . . 7:47  
pine/N applications . . . . . 7:112
- Field Production**  
pine/N applications on establishment . . . . . 7:112
- Fir**  
media pH on growth . . . . . 7:62
- Firethorn**  
response to chemical pruning . . . . . 7:126  
water use efficiency . . . . . 7:136
- Foliage Plants**  
croton/slow-release fertilizer . . . . . 7:21  
fertilization with osmocote . . . . . 7:102  
pilea/fertilizer level on severity of **xanthomonas** leaf spot . . . . . 7:47  
space allocation in production greenhouses . . . . . 7:95
- Fraser Fir**  
growth medium pH on growth . . . . . 7:62
- Fraser Photinia**  
chemical pruning . . . . . 7:126  
evapotranspiration rates . . . . . 7:136
- Fungicide**  
rhododendron/control of phytophthora root rot . . . . . 7:73
- Gayfeather**  
weed control . . . . . 7:14
- Geotextiles**  
weed control with . . . . . 7:129, 155
- Germination**  
flame azalea/light and temperature on . . . . . 7:109  
mountain laurel/light and temperature on . . . . . 7:161
- Girdling Roots**  
minimizing with container design . . . . . 7:59
- Goldenrain Tree**  
prevention of root circling in containers . . . . . 7:59
- Graft Incompatibility**  
maple/enzyme effects on . . . . . 7:8
- Ground Water Quality**  
N fertilizer regimes on . . . . . 7:32
- Growth Control**  
oak/pruning methods . . . . . 7:123
- Growth Media**  
fraser fir/pH effects . . . . . 7:62
- Growth Regulation**  
in apple . . . . . 7:75  
in azalea cultivars . . . . . 7:56  
in bermudagrass . . . . . 7:1  
in photinia . . . . . 7:126  
in pyracantha . . . . . 7:126
- Heavenly Bamboo**  
weed control . . . . . 7:140
- Herbicide**  
basagran/in azalea . . . . . 7:91  
basagran/in liriopse . . . . . 7:29  
daylily/preemergent applications . . . . . 7:69  
galley/on field grown material . . . . . 7:17  
goal/directed applications . . . . . 7:26  
goal/pretransplant applications . . . . . 7:35  
holly/use of combinations . . . . . 7:29  
hosta/preemergent applications . . . . . 7:99  
kentucky coffeetree seed/directed application . . . . . 7:14  
on herbaceous perennials . . . . . 7:140  
preemergent applications on container grown plants . . . . . 7:129  
weed control with landscape fabrics . . . . . 7:140
- Herbicide Combinations**  
on container grown plants . . . . . 7:140
- Hibiscus**  
rooting response of . . . . . 7:143
- Holly**  
evapotranspiration in . . . . . 7:136  
hydrophylic polymers on growth . . . . . 7:52  
production from prefinished plants . . . . . 7:65  
weed control . . . . . 7:26, 35, 69
- Hosta**  
preemergent herbicides on . . . . . 7:29

|                                                     |          |
|-----------------------------------------------------|----------|
| <b>Hydrogel</b>                                     |          |
| effect on growth                                    | 7:52     |
| <b>IBA</b>                                          |          |
| photinia/effect on rooting response                 | 7:158    |
| <b>Insect Resistance</b>                            |          |
| maple/potato leafhopper injury                      | 7:50     |
| <b>Irrigation</b>                                   |          |
| determining evapotranspiration rates                | 7:18     |
| maple/irrigation rates on growth                    | 7:38     |
| nitrate in runoff water                             | 7:32     |
| wind-borne salts in                                 | 7:85     |
| <b>Isozymes</b>                                     |          |
| for evaluating graft incompatibility                | 7:8      |
| <b>Juniper</b>                                      |          |
| N fertilizer regimes                                | 7:32     |
| plant form                                          | 7:88     |
| water use in                                        | 7:136    |
| weed control in                                     | 7:26     |
| <b>Juniperus</b> . . . see <b>Juniper</b>           |          |
| <b>Kentucky Coffeetree</b>                          |          |
| tolerance to preemergent herbicides                 | 7:99     |
| <b>Landscape Fabrics</b>                            |          |
| weed control with                                   | 7:129    |
| <b>Landscape Trees</b>                              |          |
| irrigation rates on growth                          | 7:38     |
| <b>Ligustrum</b> . . . see <b>Privet</b>            |          |
| <b>Lilac</b>                                        |          |
| susceptibility to mycoplasma-like organisms         | 7:163    |
| <b>Liriope</b>                                      |          |
| weed control                                        | 7:94     |
| <b>Low Profile Container</b>                        |          |
| to minimize root circling                           | 7:59     |
| <b>Magnolia</b>                                     |          |
| production from pre-finished plants                 | 7:65     |
| <b>Maple</b>                                        |          |
| graft incompatibility                               | 7:8      |
| insect resistance in                                | 7:50     |
| irrigation rates on growth                          | 7:38     |
| production from pre-finished plants                 | 7:65     |
| <b>Media</b>                                        |          |
| blackfoot daisy/effects on growth                   | 7:83     |
| maple/effects on growth                             | 7:38     |
| <b>Melampodium</b> . . . see <b>Blackfoot Daisy</b> |          |
| <b>Mountain Laurel</b>                              |          |
| seed germination                                    | 7:161    |
| <b>Mulch</b>                                        |          |
| effect on weed growth                               | 7:155    |
| <b>Mycoplasmalike Organisms</b>                     |          |
| in lilac                                            | 7:163    |
| <b>Native Plants</b>                                |          |
| blackfoot daisy/N fertilizer requirement            | 7:83     |
| flame azalea/seed germination                       | 7:109    |
| mountain laurel/seed germination                    | 7:161    |
| <b>Nitrogen</b>                                     |          |
| bermudagrass/fertilizer requirement                 | 7:1      |
| blackfoot daisy/fertilizer requirement              | 7:83     |
| juniper/fertilizer regimes                          | 7:32     |
| spruce/fertilizer regimes                           | 7:32     |
| <b>Nutrition</b>                                    |          |
| croton/slow-release fertilizer                      | 7:21     |
| foliage plants/osmocote applications                | 7:102    |
| pine/postplant N applications                       | 7:112    |
| <b>Oak</b>                                          |          |
| propagation by cuttings                             | 7:115    |
| pruning for straight trunks                         | 7:123    |
| <b>Oleander</b>                                     |          |
| wind-borne salt damage                              | 7:85     |
| <b>Osmanthus</b>                                    |          |
| propagation by stem cuttings                        | 7:133    |
| <b>Perennials</b>                                   |          |
| weed control in                                     | 7:14, 29 |
| <b>pH</b>                                           |          |
| rhododendron/phytophthora root rot                  | 7:73     |
| fraser fir/growth as influenced by                  | 7:62     |
| blackfoot daisy/growth as influenced by             | 7:83     |
| <b>Phosphorous</b>                                  |          |
| blackfoot daisy/growth response to                  | 7:83     |
| <b>Photinia</b>                                     |          |
| chemical pruning                                    | 7:126    |
| evapotranspiration rates in                         | 7:136    |
| <b>Photoperiod</b>                                  |          |
| effect on production of pre-finished plants         | 7:65     |
| <b>Phytophthora</b>                                 |          |
| rhododendron/control of                             | 7:73     |
| <b>Picea</b> . . . see <b>Spruce</b>                |          |
| <b>Pilea</b>                                        |          |
| fertilization with osmocote                         | 7:102    |
| fertilizer level on xanthomonas leaf spot           | 7:47     |
| <b>Pine</b>                                         |          |
| applications on establishment                       | 7:112    |
| <b>Pinus</b> . . . see <b>pine</b>                  |          |
| <b>Pittosporum</b>                                  |          |
| wind-borne salt damage                              | 7:85     |
| <b>Plant Form</b>                                   |          |
| relationship to root spread                         | 7:88     |
| <b>Potato Leaf Hopper</b>                           |          |
| maple/insect resistance to                          | 7:50     |
| <b>Pre-finished Plants</b>                          |          |
| production from                                     | 7:65     |
| <b>Privet</b>                                       |          |
| influence of mulch on growth                        | 7:155    |
| hydrophilic polymers on growth                      | 7:52     |
| response to chemical pruning                        | 7:126    |
| <b>Profit Maximization</b>                          |          |
| in foliage plant production                         | 7:95     |
| <b>Propagation</b>                                  |          |
| flame azalea/seed germination                       | 7:109    |
| hibiscus/medium temperature                         | 7:143    |
| mountain laurel/seed germination                    | 7:161    |
| oak/by stem cuttings                                | 7:115    |
| osmanthus/stem cuttings                             | 7:133    |
| photinia/response to IBA formulations               | 7:158    |
| rhododendron/tissue culture                         | 7:23     |
| <b>Pruning</b>                                      |          |
| cherry                                              | 7:41     |
| ligustrum/response to chemical pruning              | 7:126    |
| oak/for straight trunks                             | 7:123    |
| photinia/response to chemical pruning               | 7:126    |
| pyracantha/response to chemical pruning             | 7:126    |
| rhododendron                                        | 7:23     |
| <b>Pyracantha</b> . . . see <b>firethorn</b>        |          |
| <b>Rhododendron</b>                                 |          |
| phytophthora root rot control                       | 7:73     |
| pruning response                                    | 7:23     |
| seed germination                                    | 7:109    |
| water use efficiency                                | 7:136    |
| <b>Root Development</b>                             |          |
| in relation to plant form                           | 7:88     |
| <b>Root Modification</b>                            |          |
| nursery container designs                           | 7:59     |
| <b>Root Temperature Stress</b>                      |          |
| in ailanthus                                        | 7:79     |
| <b>Rooting</b>                                      |          |
| hibiscus                                            | 7:143    |
| photinea/response to IBA formulation                | 7:158    |
| oak/stem cuttings                                   | 7:115    |
| osmanthus/stem cuttings                             | 7:133    |
| <b>Rooting Compounds</b>                            |          |
| evaluation of IBA formulations                      | 7:158    |
| <b>Salt Tolerance</b>                               |          |
| in landscape plants                                 | 7:85     |
| <b>Salt Toxicity</b>                                |          |
| in landscape plants                                 | 7:85     |
| <b>Scotch Pine</b>                                  |          |
| N application rates on establishment                | 7:112    |
| <b>Seed Propagation</b>                             |          |
| flame azalea                                        | 7:109    |
| mountain laurel                                     | 7:161    |
| <b>Seed Quality</b>                                 |          |
| growth retardants on                                | 7:75     |
| <b>Shade Trees</b>                                  |          |
| irrigation rates on growth                          | 7:38     |
| <b>Silverberry (Elaeagnus)</b>                      |          |
| weed control                                        | 7:140    |

|                                          |            |
|------------------------------------------|------------|
| <b>Soil Additives</b>                    |            |
| hydrophylic polymers on growth           | 7:52       |
| <b>Space Allocation</b>                  |            |
| in foliage production greenhouses        | 7:95       |
| <b>Spanish Bayonet</b>                   |            |
| weed control                             | 7:140      |
| <b>Spruce</b>                            |            |
| lifting dates on root regeneration       | 7:147      |
| N fertilization regimes                  | 7:32       |
| transplanting during spring growth flush | 7:151      |
| <b>Stem Cuttings</b>                     |            |
| osmanthus                                | 7:133      |
| <b>Tamarisk</b>                          |            |
| wind-borne salt damage                   | 7:85       |
| <b>Transplanting</b>                     |            |
| cherry/during reestablishment            | 7:41       |
| in relation to root spread               | 7:88       |
| spruce/on growth                         | 7:151      |
| <b>Tree-of-Heaven</b>                    |            |
| root-zone temperatures on growth         | 7:79       |
| <b>Viburnum</b>                          |            |
| production from pre-finished plants      | 7:65       |
| weed control                             | 7:69       |
| <b>Water Relations</b>                   |            |
| cherry/transplanting                     | 7:41       |
| <b>Water Requirements</b>                |            |
| calculating evapotranspiration rates     | 7:118      |
| <b>Water Stress</b>                      |            |
| transplanting practices on               | 7:41       |
| <b>Water Use Efficiency</b>              |            |
| in landscape plants                      | 7:136      |
| <b>Waxleaf Privet</b>                    |            |
| effect of weeds on growth                | 7:155      |
| <b>Weed Barrier Fabrics</b>              |            |
| for weed control                         | 7:129, 155 |
| <b>Weed Control</b>                      |            |
| goal in containers                       | 7:17, 26   |
| in azalea                                | 7:91       |
| in daylily                               | 7:29       |
| in field-grown nursery crops             | 7:69       |
| in herbaceous perennials                 | 7:14       |
| in holly                                 | 7:35       |
| in hosta                                 | 7:29       |
| in kentucky coffeetree                   | 7:99       |
| in liriopse                              | 7:91       |
| preemergent herbicides in containers     | 7:140      |
| weed barrier fabrics                     | 7:129, 155 |
| <b>Witchazel</b>                         |            |
| production from pre-finished plants      | 7:65       |
| <b>Witches—Broom</b>                     |            |
| in lilac                                 | 7:163      |
| <b>Yucca . . . see Spanish Bayonet</b>   |            |
| <b>Zebra Plant</b>                       |            |
| fertilizer with osmocote                 | 7:102      |

## Author Index

|                     |                     |
|---------------------|---------------------|
| Acedo, J.R.         | 7:133               |
| Aldridge, E.G.      | 7:112               |
| Appleton, B.L.      | 7:59, 91, 129       |
| Bassuk, N.L.        | 7:41                |
| Ben-Jaacov, J.      | 7:85                |
| Benson, D.M.        | 7:73                |
| Billeaud, L.A.      | 7:155               |
| Blazich, F.A.       | 7:73, 109, 133, 161 |
| Boquist, D.         | 7:17                |
| Bryan, J.A.         | 7:62                |
| Carpenter, W.J.     | 7:143               |
| Carter, J.E.        | 7:147, 151          |
| Chase, A.R.         | 7:21, 47            |
| Cobb, G.S.          | 7:52                |
| Conover, C.A.       | 7:102               |
| Dana, M.N.          | 7:79                |
| Davies Jr., F.T.    | 7:140               |
| Derr, J.F.          | 7:26, 91, 129       |
| Devitt, D.A.        | 7:1                 |
| Dirr, M.A.          | 7:115, 158          |
| Drew III, J.J.      | 7:115               |
| Duray, S.A.         | 7:140               |
| Eason, J.E.         | 7:69                |
| Eliasaf, A.         | 7:85                |
| Elmore, C.L.        | 7:17                |
| Fare, D.C.          | 7:69                |
| Ferree, D.C.        | 7:75                |
| Fitzpatrick, G.E.   | 7:118               |
| Foster, W.J.        | 7:52, 56            |
| Franzen, L.M.       | 7:163               |
| Frink, C.R.         | 7:32                |
| Geyer, W.A.         | 7:99                |
| Gilliam, C.H.       | 7:38, 69            |
| Gilman, E.F.        | 7:88                |
| Graff, P.S.         | 7:83                |
| Graves, W.R.        | 7:79                |
| Hagiladi, A.        | 7:85                |
| Hensley, D.L.       | 7:112               |
| Hibben, C.R.        | 7:163               |
| Hicks, T.V.         | 7:69                |
| Hipp, B.W.          | 7:83                |
| Horowitz, M.        | 7:17                |
| Ingram, D.L.        | 7:65                |
| Joly, R.J.          | 7:79                |
| Kalmowitz, K.       | 7:35                |
| Keever, G.J.        | 7:52, 56            |
| Kelly, J.           | 7:29                |
| Klett, J.E.         | 7:14                |
| Knox, G.W.          | 7:126, 136          |
| Krafka, B.D.L.      | 7:95                |
| Kuhns, L.J.         | 7:65                |
| Laiche Jr., A.J.    | 7:123               |
| Lohr, V.I.          | 7:23                |
| Long, C.E.          | 7:99                |
| Malek, A.A.         | 7:109, 161          |
| Martin, C.A.        | 7:38                |
| Miller, D.D.        | 7:75                |
| Morris, R.L.        | 7:1                 |
| Norcini, J.G.       | 7:126               |
| Ponder, H.G.        | 7:38                |
| Poole, R.T.         | 7:21, 102           |
| Ranney, T.G.        | 7:41                |
| Rathier, T.M.       | 7:32                |
| Reed, D.W.          | 7:95                |
| Santamour Jr., F.S. | 7:8                 |
| Schuett, J.         | 7:14                |
| Seiler, J.R.        | 7:62                |
| Shelton, J.E.       | 7:109, 161          |
| Shumway, C.R.       | 7:95                |
| Simpson, B.J.       | 7:83                |
| Stephenson, J.C.    | 7:52                |
| Still, S.           | 7:65                |
| Struve, D.K.        | 7:75                |
| Sudkamp, A.B.       | 7:23                |
| Townsend, A.M.      | 7:50                |
| Tripepi, R.R.       | 7:147, 151          |
| Verkade, S.D.       | 7:118               |
| Warren, S.L.        | 7:109, 161          |
| Wehtje, G.          | 7:69                |
| Whitlow, T.H.       | 7:41                |
| Whitwell, T.        | 7:29, 35            |
| Wright, R.D.        | 7:62                |
| Zajicek, J.M.       | 7:155               |
| Zimet, D.           | 7:65                |